

1-877-877-1010 | Contact Us



TIRES WHEELS TIRE & WHEEL PACKAGES ACCESSORIES TIRE & WHEEL TECH

Stock Tire - 235/45R17 >Search Tires			Tire 1 - 255/40R17 >Search Tires		
Section Width:	9.25 in	235 mm	Section Width:	10.03 in	255 mm
Rim Diameter:	17 in	431.8 mm	Rim Diameter:	17 in	431.8 mm
Rim Width Range:	7.5 - 9 in		Rim Width Range:	8.5 - 10 in	
Overall Diameter:	25.32 in	643.12 mm	Overall Diameter:	25.03 in	635.76 mm
Sidewall Height:	4.16 in	105.66 mm	Sidewall Height:	4.01 in	101.85 mm
Radius:	12.66 in	321.56 mm	Radius:	12.51 in	317.75 mm
Circumference:	79.54 in	2020.3 mm	Circumference:	78.63 in	1997.2 mm
Revs per Mile:	821.4		Revs per Mile:	831.0	
Actual Speed:	60 mph	100 km/h	Speedometer1:	60.7 mph	101. km/h
Speedometer Difference: -			Speedometer Difference: 1.168% too fast		
Diameter Difference: -			Diameter Difference: 1.15%		

Tire Size Calculator - tire & wheel plus sizing

Vehicle Stock Tire Size

-OR-

-OR-

Options

Display Units:

Scaled Tire Images:

Show Tires Made In Each

Compare Tire Sizes

Tire Size 1: -OR-

Tire Size 2: -OR-

To compare tire sizes, first set stock tire size. Then select tire to compare to your stock size. If entered the sizes you want to click 'Compare Tire Sizes'.

Tire Size 3: -OR-

Tire Size 4: -OR-



[Wheel Tire Size Charts](#)

Find more sources/options for what your looking for

www.webcrawler.com

[Which Tire is Best?](#)

We did all the research for you. Shop Tires here.

ConsumerSearch.com/Tires

[DeVry University](#)

Practical, Career-Focused Programs. Classes Online, On Campus, or Both.

www.DeVry.edu

[Discount Tire Direct](#)

Fast Delivery on Tires & Wheels. Free Shi Since 1994.

www.discounttiredirect.com

[Brand Name Tires On Sale.](#)

Large Selection Of Tires At Low \$. Safe O Road & Not Break Bank.

smarter.com/CarTires

[Michelin 4x4 Tires](#)

Performance on all road conditions for yo

www.michelinman.com

[Goodyear® Official Site](#)

Search Tires by Vehicle Type Premium Tii at Goodyear!

www.goodyear.com

Tire Calculator Notes:

- Tire diameter can vary slightly for each tire model. The listed diameters are from calculations based on 1 tire size.
- When changing tire sizes, we recommend staying within 3% of the diameter/height of the original tire. A more than this and you face the risk of brake failure.
- This tire calculator is for information purposes only and we do not guarantee fitment based on this calcu alone.

For more Tire & Wheel Tech Info check out the following pages: [Tire Tech & Wheel Tech](#)



[1010TIRES on Facebook](#)

[Great deals with tire rebates! Browse the tire rebate center!](#)

[Tire Brands](#)

[Tire & Wheel Tech](#)

Achilles	BFGoodrich	Bridgestone	Tire Reviews	Wheel Offset Calculator
Ceat	Continental	Dunlop	Technical Information	Offset
Falken	Federal	Firestone	Tire Size Calculator	Bolt Pattern
Fuzion	General	Goodyear	Plus Sizing	Centerbore
Hankook	Hercules	Kumho	Glossary	Torque
Michelin	Nexen	Nitto	Tire Sizing	Alloy vs Steel
Nokian	Pirelli	Sumo	Speed Ratings	Air Pressure
Toyo	Yokohama		Load Ratings	More...
			More...	

[Ads by Google](#) [Tire by Size](#) [Tire Sales](#) [Tire Sizing](#) [Tire Stor](#)

© 2011 1010Tires.com©, Inc. All rights reserved.

[Privacy Policy](#)

[Terms of Service](#)

[Sitemap](#)